

Fairway 43 Flybridge STD Specification

Length Overall (incl. swim platform, bow sprit)	47.' 5" - 14m
Hull Length	43' 13m
Beam	14' 4.0m
Draft	3'.3" 1.00m
Displacement	19800lbs 9.0T
Fuel	242 gal 1100L
Water	318 gal 700L

Hull

- White gelcoat
- Vinyl ester backup layers
- Solid laminate hull lay-up
- Foam core stringer system

Deck/Cockpit

- White gelcoat
- Laminate cored structure
- PVC ridged gunnel w/ s/s rub rail
- Mooring cleats fwd. springer, aft flush pull-up style
- Moulded bow sprit w/ stainless steel anchor roller
- 20 kg Stainless steel anchor with chain
- Anchor locker w/ground tackle storage
- Saltwater Deck wash
- Custom S/S Bow rail
- Extended Hardtop over cockpit

Mechanical Systems

- Cummins QSB 6.7 380 hp coupled w/ ZF marine gearbox
- Onan 7.0 kW gen set in sound shield
- 2" x Propeller shaft
- 4 x Blade Bronze propeller
- PSS Dripless shaft log seal
- Binnacle mount single lever engine control
- Engine control panel w/ alarms and hour meter
- Bronze Engine sea strainer
- Fuel tanks alloy 2 x 550L
- Water tanks S/S 2 x 350L

Electrical Systems

- AC and DC control panels
- DC system battery management switching
- 240V AC 15 amp shore power w/ 10m shore pwr lead
- AC system RCD protected
- Galvanic isolator
- Vitron 40amp Battery Charger
- 2 x House battery
- 1 x Engine start battery

- Painted two pack boot top stripe
- Full length keel protection
- Eco–Cruise hull design
- Antifouled below
- Rear hardtop S/S supports
- FRP folding Mast
- S/S BBQ rail fitted to swim platform
- 4 x opening Port lights w/ insect screens
- Walk around side decks to fore deck
- Quarter seating in cockpit w/ storage under
- Split centreline transom door
- Large transom boot lockers x 2
- Swim platform w/ s/s under-mount swim ladder
- Hot and Cold cockpit shower AC/DC cockpit fridge freezer 110L
- Racor Fuel Filters
- Aqua lift muffler
- S/S exhaust cowl
- Gas/water separator genset exhaust
- Electric/Hydraulic trim tabs
- Hydraulic steering system
- Sidepower bow thruster (SE60)
- Sidepower stern Thruster (SE60)
- Hot and cold pressurized water system
- 40 litre / 240volt hot water heater
- 1 x Genset start battery
- 3 x 12V DC automatic bilge pumps
- Bonding system w/ zinc transom anode
- Cockpit courtesy lighting
- Cabin courtesy lighting
- Overhead led lighting
- Navigation lights
- Remote search light

Galley

- Electric two burner cook-top
- Twin AC/DC fridge/freezer 110L (2)
- Solid surface countertop

Helm / Saloon

- Satin light cherry (makore) interior joinery
- Helm console two pack coated
- Fixed fwd. cabin windows
- S/S sliding side cabin windows w/ screens
- Internal Cabin Pelmets with concealed side blinds
- Large rear dual-panel opening door system w/ flip up window
- 3 x Windshield wipers
- Air conditioning system 24000 BTU
- Twin opening hardtop hatches
- Compass

Master Stateroom

- Satin light cherry (makore) interior joinery
- Fwd. overhead deck hatch
- Headliner w/ padded panel inserts
- Island berth w/ drawers and storage below
- Shelves outboard w/ cherry rails

Guest Stateroom

- Satin cherry interior joinery
- Overhead deck hatch
- Headliner with padded panel inserts
- Twin bunks with storage under lower
- Lined hanging locker w/ drawers below

Bathroom

- Head with a separate shower stall with glass door
- Moulded seat in shower stall storage beneath
- Built-in vanity w/ sink
- Opening deck hatch
- S/S oval opening port with insect screen
- Cherry framed sliding locker overhead

- Under-counter microwave
- Drawer and Door storage below counter
- Pelmet lighting over countertop
- S/S steering wheel covered
- Dual helm seat with removable backrest
- Large roll out sprit locker
- Automatic engine room hatch opens by switch-controlled actuator
- Solid laminate sole w/timber surface texture
- L / Shaped Settee to Port w/sliding hi-low table
- Flip-down LCD TV in deck headliner
- Fusion AM/FM/CD/DVD stereo system
- Interior / exterior speakers x 6
- Lined hanging lockers to Port and Starboard
- Led Lighting
- Twin reading lights
- Carpet Flooring
- Cherry sliding entry door
- Led lighting
- Bunk reading lights
- Carpet flooring
- Solid surface countertop
- Shower drain sump pump system
- Electric Toilet w/ holding tank
- Waste tank monitor
- Macerator for holding tank overboard discharge
- Overhead lighting

Flybridge

- Dual helms seats w/ vinyl covers
- L- Shaped lounge seating w/ storage under
- Bimini Top with 3 sides clears
- Vinyl helm cover
- Moulded steps to bridge
- Flybridge carpet
- Non skid pattern

- Standard full engine instrumentation and alarms
- Storage under Flybridge brow
- Hydraulic steering
- Bow thruster control
- Stainless steering wheel
- Compass
- Windshield s/s frame with tinted Lexan

